

I23575.A02



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Mitsuhiro KASAHARA et al. **Office of Initial Patent Examinations**
Appl. No: : 10/727,330 Group Art Unit: 2673
Filed : December 4, 2003 Examiner:
For : DISPLAY DEVICE AND METHOD OF CONTROLLING IT'S
BRIGHTNESS

REQUEST FOR CORRECTION OF FILING RECEIPT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The attorney docket number of the above-identified application, as it appears on the Official Filing Receipt, is incorrect. The attorney docket number should read **---I23575---**, and not "123575", as it currently appears on the Filing Receipt. Please find attached a copy of the incorrect Official Filing Receipt with the requested change noted thereon.

Please correct the attorney docket number of the above-identified application to read as follows:

I23575

instead of:

123575

In addition, the number of independent claims of the above-identified application, as it appears on the Official Filing Receipt, is incorrect. The number of independent claims should read ---3---, and not "2", as it currently appears on the Filing Receipt. The attached incorrect Official Filing Receipt indicates the requested change noted thereon.

Please correct the number of independent claims of the above-identified application to read as follows:



3

instead of:

2

and forward a corrected copy of the Filing Receipt to the undersigned.

Respectfully submitted,
Mitsuhiro KASAHARA et al.



Bruce H. Bernstein
Reg. No. 29,027

March 11, 2004
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/727,330	12/04/2003	2673	770	123575	18	10	2

CONFIRMATION NO. 5956

7055
 GREENBLUM & BERNSTEIN, P.L.C.
 1950 ROLAND CLARKE PLACE
 RESTON, VA 20191

RECEIVED

FEB 11 2004

FILING RECEIPT



OC000000011860132

GREENBLUM & BERNSTEIN PLC

Date Mailed: 02/09/2004

Receipt is acknowledged of this reissue Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Mitsuhiro Kasahara, Osaka, JAPAN;
 Yuichi Ishikawa, Osaka, JAPAN;
 Tomoko Morita, Osaka, JAPAN;

COPY

Domestic Priority data as claimed by applicant

This application is a REI of 09/994,775 11/28/2001 PAT 6,492,965
 which is a DIV of 09/856,161 07/31/2001 PAT 6,414,660 *
 which is a 371 of PCT/JP00/06212 09/11/2000

(*)Data provided by applicant is not consistent with PTO records.

Foreign Applications

JAPAN HEI 11-283228 10/04/1999

Projected Publication Date: None, application is not eligible for pre-grant publication

Non-Publication Request: No

Early Publication Request: No

Title